

# BPX-35U3-SA

## 3.5" to 2.5" SATA 6 Gbps HDD SSD Internal and External USB 3.0 Hot-swap Rack



### Features

- Easily connect a 2.5" HDD/SSD to your computer with this rack
- Internally: use the SATA interface to connect to motherboard
- Externally: connect to any computer with USB3.0 or USB2.0 connectors available
- Designed to minimize dust intrusion: the hard drive entry door closes automatically when hard drive enclosure ejected
- Aluminum alloy hard drive enclosure body for strength and efficient heat dissipation
- LED indicators for power & HDD activity
- Fits in any standard 3.5" drive bay
- Compatible with 7mm & 9.5mm 2.5" SATA I/II/III HDD and SSD

### Specifications

Model Number	Color of Front Bezel		
BPX-35U3-SA	Black		
RoHS Compliance	Color of Main Chassis		
YES	Black		
Standard Drive Bays	Dimensions (WxHxD)		
Hotswap 2.5": 1	Width	4.00" ( 101.6 mm )	
3.5" Drives: 1	Height	0.99" ( 25.1 mm )	
Hotswap HDD Type:	Depth	6.52" ( 165.6 mm )	
2.5" SATA I/II/III			
Indicators			
Solid blue: power on./ Blinking blue: HDD accessing			
Material of Front Bezel			
Plastic			
Material of Main Chassis			
Aluminum and Plastic			

### Front View



### Inside View




\* 2.5" Drive Not Included


### Rear View



We at iStarUSA Group offer OEM/ODM services for Industrial Power, Custom Power, Chassis, Cabinets, and Data Storage. Through our skilled metal bending, milling, and silk screening we can provide you with unique customizations that will make your product stand out from the rest. With iStarUSA Group's OEM/ODM Solutions you can be sure to receive one-of-a-kind products for your one-of-a-kind business.




- D1**  
Eject Button: Press the button to eject the HDD enclosure.
- D2**  
Hidden LED indicator:  
Solid blue illumination for HDD power on.  
Blinking blue illumination for HDD access.  
\*Note: LED indicator might not work with some SSDs.



- D4**  
SATA 7-pin data connector
- D5**  
4-pin Floppy power connector

## Dimensions



## Ordering Information

Model	Description
BPX-35U3-SA	3.5" to 2.5" SATA 6 Gbps HDD SSD Internal and External USB 3.0 Hot-swap Rack