





Product Quick Guide




Model Number: **D-300L-FR**
3U Rackmount Chassis

Hardware Guide


1. Aluminum Bezel
(3 color Options: Red, Blue, Silver)
2. Power LED
3. Alarm reset
4. HDD LED
5. Temp Sensor 1 LED (TC-ISF08 require)
6. Fan LED (TC-ISF08 require)
7. Temp Sensor 2 LED (TC-ISF08 require)
8. Handle
9. For Redundant Power Supply
10. Key lock
11. USB 2.0
12. Reset button
13. Power button
14. 3.5" Bay X1
15. 5.25" Bay X2
16. Ear Mount
17. Expansion slot
18. 1x 60mm Fan
19. For E-ATX, ATX, micro-ATX MB
20. 3x 80mm Hotswap Fan
21. For Optional Sensor Board TC-ISF08
22. Removable Air Filter





Front View



Front Open View



Rear View



Top View

Package Contents

1. Cable tie
2. Expansion slots cover
3. Screws kit x 3
4. Keys
5. Fan power converter molex-2pin x 2
6. Cable holder



Optional/ Related Items



T5PF-SA
1 x 5.25" Bay Trayless
Anti-vibration SATA Mobile
Rack



BPU-2535V2
1 x 3.5" to 2 x 2.5" SATA I/
II Hot-Swap Drive Cage



RP-HUB-SAUF
3.5" Combo Hub for
USB2.0/ Firewire/ e-SATA



BPU-124V2-SS
1 x 5.25" to 4 x 2.5" SATA/
SAS 6.0 Gb/s Hot-Swap
Cage



T-7M1-SATA
1x5.25" Bay Audio SATA/
SAS 6.0 Gb/s Mobile Rack



T5F-SS
1x5.25" Bay Trayless Anti-
vibration SAS/SATA Mobile
Rack



T-7-SA
1x5.25" Bay Military Series
SAS/SATA 6.0Gb/s Mobile
Rack



TC-RAIL-26
26" Sliding Rail Kit for Most
Rackmount Chassis