




Product Quick Guide




Model Number: **D-420L-FR**


4U Rackmount Chassis

Hardware Guide


1. Aluminum Bezel
(3 color Options: Red, Blue, Silver)
2. Power LED
3. Alarm reset
4. HDD LED
5. Temp Sensor 1 LED (TC-ISF08 require)
6. Fan LED (TC-ISF08 require)
7. Temp Sensor 2 LED (TC-ISF08 require)
8. Handle
9. 5.25" Bay X4
10. For PS2 Mini Redundant
11. Key lock
12. USB 2.0
13. Reset button
14. Power button
15. 3.5" Bay X1
16. Ear Mount
17. Expansion slot
18. Cross bar/ Fan bar
19. Passive backplane/ Single board
20. 3x 120mm Hotswap Fan
21. For Optional Sensor Board TC-ISF08
22. Removable Air Filter





Front View



Front Open View



Rear View



Top View

Package Contents

1. Expansion slots cover
2. Cable tie
3. Screws kit x 3
4. Key
5. Cable holder
6. Power supply bracket
7. Fan power converter molex-2pin x 2



Optional/ Related Items



T5PF-SA

1 x 5.25" Bay Trayless
Anti-vibration SATA Mobile
Rack



BPU-2535V2

1 x 3.5" to 2 x 2.5" SATA I/
II Hot-Swap Drive Cage



RP-HUB-SAUUF

3.5" Combo Hub for
USB2.0/ Firewire/ e-SATA



BPU-124V2-SS

1 x 5.25" to 4 x 2.5" SATA/
SAS 6.0 Gb/s Hot-Swap
Cage



T-7M1-SATA

1x5.25" Bay Audio SATA/
SAS 6.0 Gb/s Mobile Rack



T5F-SS

1x5.25" Bay Trayless Anti-
vibration SAS/SATA Mobile
Rack



T-7-SA

1x5.25" Bay Military Series
SAS/SATA 6.0Gb/s Mobile
Rack



TC-RAIL-26

26" Sliding Rail Kit for Most
Rackmount Chassis