

Features

- Supports 4 x pico-ITX motherboards
- 4 x 3.5 inch front hot-swappable drive bays
- 8 x front USB 2.0 ports (USB 3.0 optional)
- Fully customizable and ready to be OEM/ODM

Specifications

Model Number	Color	Cooling System:	
FS-1140	Black	2 x 40mm fan	
RoHS Compliance	Weight	I/O Shield	
YES	10	Special I/O for Pico-ITX	
Standard Drive Bays	Front LED Indicator	Dimensions (WxHxD)	
Internal Drive Bay: 4 x 2.5" HDD (When CF card readers are not install Hot Swappable Drive Bay: 4 x 3.5" HDD Tray (Front)	4 x Activity; 4 x Power (1/system)	Width 19.00" (482.6 mm Height 1.73" (43.9 mm) Depth 12.52" (318.0 mm	
Form Factor:	Front USB Port		
1U	8 (2x4)		
Motherboard Size:	Front Power Switch		
Pico-ITX	1		
Material	Memory Height		
Heavy duty cold-rolled steel	Accepts standard size		
Finish	Compact Flash Slot		
Anodized finish	4 x Internal Reader (when Internal 2.5" HDD not in		

Front View

System View






Motherboard and system components are not included, please contact our sales for system intergration inquiries

We at iStarUSA Group offer OEM/ODM services for Industrial Power, Custom Power, Chassis, Cabinets, and Data Storage. Through our skilled metal bending, milling, and silk screening we can provide you with unique customizations that will make your product stand out from the rest. With iStarUSA Group's OEM/ODM Solutions you can be sure to receive one-of-a-kind products for your one-of-a-kind business.





Ordering Information

Part Number	Description	
FS-1140	1U IPC Rackmount Chassis for pico-ITX	

Optional Accessories

Part Number	Model
DD-REARMOUNT	1U Rear Bracket for Rackmount Chassis
RP-RAIL	Slim Sliding Rail Kit for 1U Short Rackmount Chassis
TC-RAIL	Sliding Rail Kit for Most Rackmount Chassis
DD-FAN40-Q	40mm Liquid State Bearing Fan